U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency
National Flood Insurance Program

Important: Read the instructions on pages 1-8.

				201	Fee Insurance Company Lieu
		ON A - PROPERTY	NFORMAT	ION	For Insurance Company Use: Policy Number
e Radiant Church	- Assembly of God				
s (including Apt., t	Jnit, Suite, and/or Blo	dg. No.) or P.O. Route	and Box No.		Company NAIC Number
s State CO	ZIP Code 80909				
Lot and Block Num Moors Subdivision,	bers, Tax Parcel Nu Filing No. 7, Parcel I	mber, Legal Description #8335319034	, etc.)		
at. 38 - 52 - 06.9 Legraphs of the build open 7 rawl space or endinged openings in the within 1.0 foot about openings in A	ong. 104 - 45 - 14.2 ding if the Certificate osure(s), provide closure(s) he crawl space or ove adjacent grade 8.b	is being used to obtain 1,100 sq ft 2 15,555 sq in	flood insuran 9. For a buil a) Squar b) No. o walls c) Total	ce. ding with an attac re footage of attac f permanent flood within 1.0 foot ab net area of flood	ched garage sq ft openings in the attached garage ove adjacent grade openings in A9.b sq in
					B3, State
e & Community No 080060					Colorado
B5. Suffix	B6. FIRM Index Date August 23, 1999	Effective/Revise	d Date	B8. Flood Zone(s) Zone X	B9. Base Flood Elevation(s) (Zone AO, use base flood depth) 6312.9
um used for BFE in I in a Coastal Barri	n Item B9: NO er Resources Syster	GVD 1929	0 1988 [wise Protecto OPA	ed Area (OPA)?	□Yes ⊠No
based on: icate will be requir -A30, AE, AH, A (v building diagram s	Construction Draw ed when construction with BFE), VE, V1-V3 specified in Item A7.	wings*	ding Under C blete. R/A, AR/AE, /	onstruction* AR/A1-A30, AR/A	
cluding basement,	crawl space, or enck	osure floor) 6300.0	⊠ foot		
(top of slab)	AG)	6313.1 nes only) <u>N/A.</u> <u>N/A.</u>	feet feet feet feet feet feet feet feet	meters (Pue	rto Rico anly) rto Rico anly) rto Rico anly) rto Rico anly)
(top of slab) of machinery or eq equipment in Com finished) grade (L/ (finished) grade (H	uipment servicing th ments) 4G) IAG)	6313.1 nes only) N/A. N/A. e building 6300.1	∑ ⊠ feet ☐ feet ☐ feet ☐ feet ☑ ⊠ feet ☑ ⊠ feet ☑ ⊠ feet	meters (Pue	rto Rico only) rto Rico only) rto Rico only) rto Rico only) rto Rico only) rto Rico only)
	s (including Apt., to s State CO Lot and Block Numfloors Subdivision, sidential, Non-Res. to 38 - 52 - 06.9 Legraphs of the build other Z rawl space or enclorawl space or enclorated space on the space of the Base Flood Elegan used for BFE in a Coastal Barriam used for BFE in a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam SECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Barriam based for BECTION based on: ficate will be required to a Coastal Ba	e Radiant Church - Assembly of God s (including Apt., Unit, Suite, and/or Bit is State CO ZIP Code 80909 Lot and Block Numbers, Tax Parcel Numbers Subdivision, Filing No. 7, Parcel is sidential, Non-Residential, Addition, Act. 38 - 52 - 06.9 Long. 104 - 45 - 14.2 agraphs of the building if the Certificate ober 7 rawl space or enclosure(s), provide crawl space or enclosure(s) flood openings in the crawl space or within 1.0 foot above adjacent grade cod openings in A8.b SECTION B - FLOOD IN B - Suffix	s (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route as State CO ZiP Code 60909 Lot and Biock Numbers, Tax Parcel Number, Legal Description Moors Subdivision, Filing No. 7, Parcel #6335319034 sidential, Non-Residential, Addition, Accessory, etc.) Religious at 38 - 52 - 06.9 Long. 104 - 45 - 14.2 agraphs of the building if the Certificate is being used to obtain ther Z rawl space or enclosure(s), provide crawl space or enclosure(s) flood openings in the crawl space or within 1.0 foot above adjacent grade 2 cod openings in A8.b 15.555 sq in SECTION B - FLOOD INSURANCE RATE Notes Community Number B2. County Name E1 Paso B5. Suffix B6. FIRM Index Date Effective/Revise. August 23, 1999 March 17, 19 the Base Flood Elevation (BFE) data or base flood depth enter Implication and Im	s (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. State CO ZIP Code 80909 Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) All Religious Worship (Including Including Inc	e Radiant Church - Assembly of God s (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No. s State CO ZIP Code 80909 Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.) Moors Subdivision, Filing No. 7, Parcel #6335319034 sidential, Non-Residential, Addition, Accessory, etc.) Religious Worship t. 38 - 52 - 96.9 Long. 104 - 45 - 14.2 Horizontal Description of the building if the Certificate is being used to obtain flood insurance. Both T Grawl space or enclosure(s), provide A9. For a building with an attact crawl space or enclosure(s) 1,100 sq ft A9. Square footage of attact by the crawl space or enclosure(s) A9. For a building with an attact crawl space or enclosure(s) 1,100 sq ft A9. Square footage of attact by No. of permanent flood within 1.0 foot above adjacent grade 2 Square footage of attact by No. of permanent flood odd openings in A8.b Square footage of attact by No. of permanent flood odd openings in A8.b Square footage of attact by No. of permanent flood odd openings in A8.b Square footage Piscond Community Number B2. County Name B2. County Name B3. FIRM Square Piscond Square Squar

IMPORTANT: In these spaces, of			For Insurance Company Use:
Building Street Address (including Apt 4020 Maizeland Road	Policy Number		
City Colorado Springs State CO ZIF	Company NAIC Number		
SECTION	D - SURVEYOR, ENGINEER,	OR ARCHITECT CERTIFICA	ATION (CONTINUED)
Copy both sides of this Elevation Certi			. 2
included Zone AE information since a	small portion of an exterior wall may dow sills. The window sill elevaton i which stores a sump pump and fur	y fall on the zone line. Concrete w is 6305.1. The elevation for the to	he floodplain line is scaled and drawn. I have ralls surround the basement window openings, p of these concrete walls is 6313.1. Also, the
SECTION E - BUILDING ELE	VATION INFORMATION (SUR	VEY NOT REQUIRED) FOR 2	Check here if attachments ZONE AO AND ZONE A (WITHOUT BFE)
 and C. For Items E1-E4, use natural g E1. Provide elevation information for grade (HAG) and the lowest adjate a) Top of bottom floor (including b) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6-8 with preference (elevation C2.b in the diagrams) E3. Attached garage (top of slab) is E4. Top of platform of machinery and E5. Zone AO only: If no flood depth 	grade, if available. Check the meas the following and check the appropage acent grade (LAG). basement, crawl space, or enclosu basement, crawl space, or enclosu bermanent flood openings provided of the building is	purement used. In Puerto Rico on oriate boxes to show whether the ore) is feet re) is feet above or feet meters above or feet meters feet meters above or feet meters feet meters above or feet meters feet feet meters feet feet meters feet feet meters feet meters feet meters feet meters feet feet meters feet meters feet meters feet feet meters feet meters feet meters feet meters feet meters feet feet meters feet	elevation is above or below the highest adjacent] meters □ above or □ below the HAG.] meters □ above or □ below the LAG. e page 8 of Instructions), the next higher floor □ below the HAG. AG. eters □ above or □ below the HAG. ance with the community's floodplain management
SECTION	F - PROPERTY OWNER (OR	OWNER'S REPRESENTATIV	VE) CERTIFICATION
or Zone AO must sign here. The state	ments in Sections A, B, and E are o	Sections A, B, and E for Zone A (correct to the best of my knowledge	without a FEMA-issued or community-issued BFE) ne.
Property Owner's or Owner's Authorize Radiant Church - Assembly of God	ed Representative's Name		
Address 4020 Maizeland Road		City Colorado Springs	State CO ZIP Code 80909
Signature		Date 02-08-08	Telephone (719) 597-4402
Comments			
	SECTION S. SOMMING		☐ Check here if attachments
he local official who is authorized by lay		ITY INFORMATION (OPTION	NAL) t ordinance can complete Sections A, B, C (or E),
nd G of this Elevation Certificate. Com	plete the applicable item(s) and sign	n below. Check the measuremen	t used in Items G8. and G9.
 The information in Section C was is authorized by law to certify example. 	as taken from other documentation elevation information. (Indicate the	that has been signed and sealed source and date of the elevation	by a licensed surveyor, engineer, or architect who data in the Comments area below.)
			or community-issued BFE) or Zone AO.
	ns G4G9.) is provided for commun	ity floodplain management purpo:	ses.
G4. Permit Number	G5. Date Permit Issued 2/1/2008	G6. Date Certific	ate Of Compliance/Occupancy Issued
7. This permit has been issued for:	☐ New Construction ☐ S	ubstantial Improvement	
Elevation of as-built lowest floor (incl		feet	(PR) Datum
9. BFE or (in Zone AO) depth of floodin	g at the building site:	feet	(PR) Datum
Local Official's Name		Title	
Community Name		Telephone	,,
Signature		Date	
Comments BO = 6317 S Section D = GIS	ee section AJ et shows staucture w/n	FIS STUDY	ce.
	SUDAS STACKOK ALM	n ivy read trul	k

U.S. DEPARTMENT OF HOMELAND SECURITY

ELEVATION CERTIFICATE

OMB No. 1660-0008 Expires February 28, 2009

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-8.

	SECTION A - F	ROPERTY INFORMA	ATION	For Insurance Company Use:
A1. Building Owner's Name Radiant C				Policy Number
A2. Building Street Address (including		r P.O. Route and Box No).	Company NAIC Number
4020 Maizeland Ripad				
City Colorado Springs State A3. Property Description (Lot and Block	CO ZIP Code 80909	nal Description, etc.)		
Lot 1, Block 1, Maizeland Moors Subdiv	ision, Filing No. 7, Parcel #6335319	034		
A4. Building Use (e.g., Residential, No.	n-Residential, Addition, Accessory,	etc.) Religious Worship	Horizontal Da	itum: 🗌 NAD 1927 🔯 NAD 1983
A5. Latitude/Longitude: Lat. 38 - 52 - 0 A6. Attach at least 2 photographs of the	building if the Certificate is being t	used to obtain flood insur		
A7. Building Diagram Number 7	building it also do allocate to allocate			had games provide:
AR. For a building with a crawl space of	r enclosure(s), provide		ouilding with an attact uare footage of attac	hed garage, provide:
 a) Square footage of crawl space 	or enclosure(s) 1,100	h) No	of permanent flood	openings in the attached garage
b) No. of permanent flood opening enclosure(s) walls within 1.0 for	ot above adjacent grade 2	wa	lle within 1.0 foot abo	ove adjacent grade
c) Total net area of flood opening	s in A8.b 15,555	sqin c) To	tal net area of flood o	openings in A9.b sq in
	ECTION B - FLOOD INSURAN	ICE RATE MAP (FIR	M) INFORMATION	
B1. NEIP Community Name & Commun	nity Number B2. Count			B3. State Colorado
City of Colorado Springs - 080060	El Paso		B8. Flood	B9. Base Flood Elevation(s) (Zone
B4. Map/Panel Number B5. Suff	Date Ef	B7, F(RM Panel fective/Revised Date	Zone(s) Zone X	AO, use base flood depth) 6312.9
08041C0732 F B10. Indicate the source of the Base Fig.	August 23, 1999	March 17, 1997 and depth entered in Item		
☐ FIS Profile	Community Determined	Other (Describe	e)	
ned tedicate elevation datum used for	BEE in Item B9: NGVD 1929	☐ NAVD 1988	Dother (Describe	
812. Is the building located in a Coasta Designation Date	Barrier Resources System (CBRS)	area or Otherwise Prote	ected Area (OPA)?	∐Yes ⊠No
SEC	TION C - BUILDING ELEVATI	ON INFORMATION (SURVEY REQUIR	ED)
C1. Building elevations are based on:	Construction Drawings*	Building Unde	r Construction*	
 A new Elevation Certificate will be C2. Elevations – Zones A1-A30, AE, Albelow according to the building diag 	1, A (with BFE), VE, V1-V30, V (with	BFE), AR, AR/A, AR/A	E, AR/A1-A30, AR/AI	H, AR/AO. Complete Items C2.a-g
Benchmark Utilized FIMS-Level Lir	ne F1-15 Vertical Datum 6323.62			
Conversion/Comments N/A			Check the measurer	ment used.
a) Top of bottom floor (including bases	nent, crawl space, or enclosure floc	or) <u>6300.0</u> ⊠ fe	et 🔲 meters (Puer	to Rico only)
 b) Top of the next higher floor 		<u>6313.5</u> ⊠ to	et meters (Puer	to Rico only)
	i structural member (V Zones only)	N/A U %	eet meters (Puer eet meters (Puer	to Rico only)
 d) Attached garage (top of slab) 	e e e la sample de militar de la comunidad de		ect 🔝 meters (Puer	rto Rico only)
 e) Lowest elevation of machinery (Describe type of equipment in 	or equipment servicing the building Comments)			
f) Lowest adjacent (finished) gra		<u>6311.5</u> ⊠ f	eet 🔲 meters (Puer	rto Rico only)
g) Highest adjacent (finished) gra		6312.5 ⊠ f	eet 🗌 meters (Pue	rto Rico only)
SE	CTION D - SURVEYOR, ENGI	NEER, OR ARCHITE	CT CERTIFICATION	NO
This application is to be signed and so	saled by a land surveyor engineer	or architect authorized b		
information. I certify that the information I understand that any false statement	an an this Certificate represents my	Dest enorts to microrar t	ne data avallative. ode, Section 1001.	William Co. Sec.
Check here if comments are provi-	ded on back of form.			D. 27605
Certifier's Name Randall D. Hency		License Number	27605	图 27605 分
Title Professional Land Surveyor	Company Name Pola		Code 90000	
Address 1903 Lelaray Street, Suite 1		State Co ZIP elephone 719-448-0844	Code 80909	Manager LAND
Signature DLA OH	Date 02-07-08 Te	neprione (19-440-0044		- Manne
	\cup			

IMPORTANT: In these spaces,			For Insurance Company Use:
Building Street Address (including Ap 4020 Maizeland Road		or P.O. Route and Box No.	Policy Number
City Colorado Springs State CO Zli	P Code 80909		Company NAIC Number
SECTION	N D - SURVEYOR, ENGINEE	R, OR ARCHITECT CERTIFICAT	TON (CONTINUED)
		(2) insurance agent/company, and (3)	·
included Zone AE information since a which extend below the basement wir basement includes a mechanical room	small portion of an exterior wall a ndow silis. The window sill elevate	may fall on the zone line. Concrete wa on is 6305.1. The elevation for the top	e floodplain line is scated and drawn. I have ils surround the basement window openings, of these concrete walls is 6313.1. Also, the
Signature	0	v Dater	Check here if attachment
SECTION E - BUILDING ELE	VATION INFORMATION (SI	JRVEY NOT REQUIRED) FOR Z	ONE AO AND ZONE A (WITHOUT BFE)
 and C. For Items E1-E4, use natural E1. Provide elevation Information for grade (HAG) and the lowest adjustion of the lowest adjustic adjusting the lowest adjusti	grade, if available. Check the more the following and check the appliacent grade (LAG). It basement, crawl space, or encing basement, crawl space, or encing permanent flood openings provide) of the building is	easurement used. In Puerto Rico only propriate boxes to show whether the elections and the second of	evation is above or below the highest adjacent meters above or below the HAG. meters above or below the LAG. page 8 of Instructions), the next higher floor below the HAG. G. lers sbove or below the HAG. lere the bove or below the HAG.
SECTIO	N F - PROPERTY OWNER (C	OR OWNER'S REPRESENTATIV	E) CERTIFICATION
			thout a FEMA-issued or community-issued BFE)
or Zone AO must sign here. The state	ements in Sections A, B, and E a		
Property Owner's or Owner's Authoriz Radiant Church - Assembly of God	ed Representative's Name		
Address 4020 Maizeland Road		City Colorado Springs	State CO ZIP Code 80909
Signature		Date 02-08-08	Telephone (719) 597-4402
Comments			
			Check here if attachmer
	SECTION G - COMM	UNITY INFORMATION (OPTION)	
e local official who is authorized by la	w or ordinance to administer the	community's floodplain management sign below. Check the measurement	ordinance can complete Sections A, B, C (or E),
1. The information in Section C	was taken from other documenta		by a licensed surveyor, engineer, or architect who
			community-issued BFE) or Zone AO.
		nunity floodplain management purpose	
54. Permit Number	G5. Date Permit Issued	G6. Date Certifica	te Of Compliance/Occupancy Issued
7. This permit has been issued for:	☐ New Construction [Substantial Improvement	
8. Elevation of as-built lowest floor (inc			
BFE or (in Zone AO) depth of floods	ing at the building site:	feet meters (F	R) Datum
ocal Official's Name		Title	
Community Name		Telephone	
Signature		Date	100
Comments 20 : 6317 S	el section AJ OF	FIS STUDY	
SECTION DO GAL	Calonia Cornicornas	ilm 100 yr Flood Fring	,
-all-wy D . G(S	PLINA PLACEINE A	in the de land	•

Replaces all previous editions

FEMA Form 81-31, February 2006